

CSIR-INSTITUTE OF MINERALS & MATERIALS TECHNOLOGY.

(A Govt. of India Autonomous Body)

Environmental Chemical Laboratory

Bhubaneswar, Odisha

(An NABL Accredited Laboratory)



Certificate No. : T-8091

TEST REPORT

TEST REPORT NO- NABL/ECL/0260

DATE-23.03.2022

Sl No	Characteristics	Test Method (P) of IS:3025	Requirements as per IS 10500:2012(Latest Version)		Test Result
			Acceptable limit	Permissible Limit	
1.	*Color, Hazen units	Part 4	5	15	<5
2.	*Odour	Part 5	Agreeable	Agreeable	Agreeable
3.	Turbidity, NTU	Part 10	1	5	0.05
4.	pH@Temp °C	Part 11	6.5-8.5	No relaxation	5.65@25.0
5.	*Conductivity, µs/cm	Part 14	-	-	67
6.	*Total Suspended Solid, mg/l	Part 17	-	-	0.1
7.	Total Dissolved Solids mg/L	Part 16	500	2000	50.0
8.	Total Hardness (as CaCO ₃), mg/L	Part 21	200	600	16.0
9.	Calcium as Ca, mg/L	Part 40	75	200	4.08
10.	Magnesium as Mg, mg/L	Part 46	30	100	0.97
11.	Alkalinity as CaCO ₃ , mg/L	Part 23	200	600	6.0
12.	Chloride as Cl, mg/L	Part 32	250	1000	11.5
13.	Sulfate as SO ₄ , mg/L	Part 24	200	400	2.36
14.	Fluoride as F, mg/L	Part 60	1.0	1.5	0.03
15.	*Nitrite as NO ₂ , mg/L	Part 34	-	-	0.014
16.	*Nitrate as NO ₃ , mg/L	Part 34	45	No relaxation	2.695
17.	*Residual free chlorine, mg/L	Part 26	0.02	1.0	BDL
18.	*Sodium, mg/l	Part 45	-	-	4.07
19.	*Potassium, mg/l	Part 45	-	-	1.45
20.	*Dissolved Oxygen, mg/l	Part 38	-	-	7.20
21.	*Biological Oxygen Demand, mg/l	Part 44	-	-	0.10
22.	*Chemical Oxygen Demand, mg/l	Part 58	-	-	BDL

CSIR-INSTITUTE OF MINERALS & MATERIALS TECHNOLOGY.

(A Govt. of India Autonomous Body)

Environmental Chemical Laboratory

Bhubaneswar, Odisha

(An NABL Accredited Laboratory)



Certificate No. : T-8091

TEST REPORT

23.	Iron as Fe, mg/L	Part 53	0.3	No relaxation	0.028
24.	Copper as Cu, mg/L	Part 42	0.05	1.5	0.031
25.	Manganese as Mn, mg/L	Part 59	0.1	0.3	0.017
26.	Zinc as Zn, mg/L	Part 49	5.0	15.0	<0.001
27.	Lead as Pb, mg/L	Part 47	0.01	No relaxation	<0.001
28.	Cadmium as Cd, mg/L	Part 41	0.003	No relaxation	0.003
29.	Chromium as Cr, mg/L	Part 52	0.05	No relaxation	<0.001
30.	Nickel as Ni, mg/l	Part 54	0.02	No relaxation	<0.001
31.	*Arsenic as As, mg/l	Part 37	0.01	No relaxation	<0.001
32.	*Minerals Oils, mg/l	Part 39	0.5	No relaxation	BDL

➤ BDL- BELOW DETECTION LIMITS

NOTES :

1. The sample is drawn by the customer & result relates to the sample tested.
2. This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.
3. This certificate shall not be used in any advertising media or as evidence in the court of Law without prior written consent of laboratory.
4. Latest version of test methods used as per latest specification.
5. It is recommended that the acceptable limit is to be implemented. Values in excess of those mentioned in "acceptable limit" render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicate under "permissible limit" in the absence of alternative sources, above which the source will have to be rejected.
6. Testing parameters which are not in NABL Scope has marked as "*" .
7. Testing parameters which are not set limitation has marked as "-" .

Authorized Signatory

Dr Arakshita Majhi
Principal Scientist

Phone : 0674-2379236

E.mail - arakshita@immt.res.in

डॉ. अरक्षिता माझि/Dr. Arakshita Majhi
प्रधान वैज्ञानिक/Principal Scientist
पर्यावरण एवं सततता विभाग
Environment & Sustainability Dept.
सी एस आई आर - छानिन एवं पदार्थ प्रौद्योगिकी संस्थान
CSIR-Institute of Minerals & Materials Technology
भुवनेश्वर/Bhubaneswar-751013



CSIR - Institute of Minerals and Materials Technology
(Council of Scientific and Industrial Research)
Bhubaneswar-751013, Odisha, India
Environmental Biology Laboratory (EBL)
Environment & Sustainability Department



NABL
Accreditation certificate no. TC-8195

Test Report

Sample code: NABL/EBL0260	Test report Date: 9.3.2022
Test Report No.: ULR-TC81952100000000060/EBL3/22-1	
Source of Sample: Borewell 4	Sample condition: Satisfactory
Date of Sampling (provided by the customer): 17.2.2022	Sample Received on: 17.2.2022
Type of Sample: Drinking water	Sample Analysed on: 1.3.2022

Sl. No.	Test/Parameter	Test Method	Requirements as per IS 10500:2012 (RA 2018)		Test Result with units of measurement	Statement of Conformity
			Acceptable limit	Permissible Limit		
1.	<i>E.coli</i> by Membrane filtration	IS 15185 RA 2018	Shall not be detect in 100ml sample	No relaxation	Absent per 100 ml	Conformance
2.	Total coliform by MPN	IS 1622 RA 2019	Shall not be detect in 100ml sample	No relaxation	<2 MPN/100 mL	Conformance
3.	Fecal coliform by MPN	IS 1622 RA 2019	Shall not be detect in 100ml sample	No relaxation	<2 MPN/100 mL	Conformance

End of test report

Authorized Signatory

Dr. Sony Pandey
(Principal Scientist, E&S Department)

Sony Pandey
9.3.2020
Environmental Biology Lab
Lab, E&S Dept.

Quality Manager

Notes:

1. The test report relates only to the items tested.
2. The sample is drawn by the customer, hence EBL is not responsible for any errors arising out of faulty sample withdrawal, handling or container.
3. Sterile containers and aseptic handling of samples during collection and transport is necessary for correct results. EBL is not responsible for mistakes on the part of customers.
4. The decision rule is inherent in the standard as the acceptable and permissible limits are pre-defined.
5. The report should not be interpreted in part, or reproduced wholly, or in part without prior consent of the laboratory.
6. This report should not be used for advertisement, and as a certificate or as evidence in the court of law without prior consent of the laboratory.
7. The report is for information purpose relating only to the characteristics mentioned in this report, it cannot be extrapolated for any other purpose without involving EBL.

Contact: Head, Environment & Sustainability Department at Tel: 91-674-2379411/2379271/2379242, Mobile: 9437460626/9437290470/9337733311, email: head.es@immt.res.in, Website: www.immt.res.in
ULR-TC81952100000000060/EBL3/22-1 Doc No. QR26